



Local Minor Ailment Service Formulary

August 2007

**© COPYRIGHT 2007.
GREATER GLASGOW AND CLYDE NHS BOARD**

ALL RIGHTS RESERVED. NO PART OF THIS PUBLICATION MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM, OR TRANSMITTED, IN ANY FORM OR BY ANY MEANS, ELECTRONIC, MECHANICAL, PHOTOCOPYING, RECORDING OR OTHERWISE, WITHOUT THE PRIOR PERMISSION OF GREATER GLASGOW & CLYDE NHS BOARD.

ISBN:

Page 1 of 32

CONTENTS

INTRODUCTION	4
1.1 INDIGESTION	7
1.1.1 ALUMINIUM AND MAGNESIUM CONTAINING ANTACIDS	7
1.1.2 COMPOUND ALGINATES AND PROPRIETARY INDIGESTION PREPARATIONS	7
1.2 INFANT COLIC	7
1.3 CONSTIPATION	7
1.3.1 BULK-FORMING LAXATIVES	7
1.3.2 STIMULANT LAXATIVES	8
1.3.3 OSMOTIC LAXATIVES	8
1.4 DIARRHOEA	8
1.4.1 ANTIMOLITY DRUGS	8
1.4.2 ORAL REHYDRATION THERAPY	8
1.5 HAEMORRHOIDS	9
1.5.1 SOOTHING HAEMORRHOIDAL PREPARATIONS	9
1.5.2 COMPOUND HAEMORRHOIDAL PREPARATIONS WITH CORTICOSTEROIDS	9
1.6 MOUTH ULCERS AND TEETHING	9
1.7 ORAL THRUSH	10
2. RESPIRATORY	11
2.1 HAY FEVER	11
2.1.1 NON-SEDATING ANTIHISTAMINES	11
2.1.2 SEDATING ANTIHISTAMINES	11
2.1.3 OTHER ANTIINFLAMMATORY PREPARATIONS	12
2.1.4 STEROID NASAL SPRAYS	12
2.2 COUGH AND NASAL CONGESTION	12
2.2.1 AROMATIC INHALATIONS	12
2.2.2 COUGH SUPPRESSANTS	12
2.2.3 EXPECTORANTS AND DEMULCENT COUGH PREPARATIONS	12
2.2.4 TOPICAL NASAL DECONGESTANTS	13
3. CENTRAL NERVOUS SYSTEM	14
3.1 PAIN	14
3.1.1 NON-OPIOID ANALGESICS	14
3.1.2 TOPICAL ANALGESICS	14
3.2 TRAVEL SICKNESS	15
3.3 NAUSEA AND VOMITING	15
4. INFECTION	16
4.1 FUNGAL INFECTIONS	16
4.1.1 VAGINAL CANDIDIASIS	16
4.1.2 ATHLETE'S FOOT	16
4.2 VIRAL INFECTIONS	17

4.2.1	COLD SORES	17
4.2.2	WARTS AND VERRUCAE	17
4.3	PARASITIC INFECTION	17
4.3.1	THREADWORM	17
4.3.2	HEAD LICE	18
4.3.3	SCABIES	18
5.	<u>URINARY TRACT DISORDERS</u>	19
5.1	ALKALINISATION OF URINE	19
6.	<u>SKIN</u>	20
6.1	ACNE	20
6.2	ECZEMA/ALLERGY	20
6.2.1	EMOLLIENTS	20
6.2.2	EMMOLIENT BATH ADDITIVES	21
6.2.3	BARRIER PREPARATIONS	21
6.2.4	TOPICAL ANAESTHETICS AND ANTIPRURITICS	21
6.2.5	TOPICAL CORTICOSTEROIDS	21
6.2.6	TOPICAL CORTICOSTEROIDS WITH ADDITIONAL INGREDIENTS	22
6.3	SHAMPOOS AND SCALP APPLICATIONS	22
6.4	PREPARATIONS FOR BOILS	23
6.5	IODINE	23
7	<u>VITAMINS</u>	24
7.1	VITAMIN SUPPLEMENTATION FOR PREGNANCY	24
8	<u>EYE</u>	25
8.1	DRY EYES AND TEAR DEFICIENCY	25
8.2	ANTIBACTERIAL EYE PREPARATIONS	25
9	<u>EAR</u>	26
9.1	REMOVAL OF EAR WAX	26
10	<u>HOMEOPATHY</u>	27
11	<u>APPENDIX 1: FORMULARY APPEALS</u>	28
INDEX		32

INTRODUCTION

Minor Ailment Service

The Minor Ailment Service (MAS) allows patients, who are exempt from prescription charges, to register with and use a community pharmacy as the first port of call for the treatment of common illnesses on the NHS. The pharmacist advises, treats or refers the patient according to their needs.

The items which will be reimbursed under MAS are:

- All P and GSL medicines provided that they are not blacklisted
- Dressings and appliances available in Part 2 of the Drug Tariff
- Selected items such as Bug Busting Kits, Sodium Bicarbonate Ear Drops and Sodium Chloride Nasal Drops from part 3 of the Drug Tariff
- Certain Prescription Only Medicines supported by core national patient group directives.

All drugs provided as part of MAS will be reimbursed at Drug Tariff prices, and community pharmacies will not receive a dispensing fee for the prescription. Any item dispensed out with the national formulary is not reimbursable.

NRT products or Levonelle® (emergency hormonal contraception) should not be supplied under MAS; contractors will not be reimbursed for any supplies made on CP2 forms after July 1st, 2007.

Local MAS formulary

MAS has been successfully operating from community pharmacies since July 2006. Adherence to the formulary has generally been very good with a target for formulary compliance of 80%, in line with our medical prescribing colleagues.

To help improve compliance, the MAS formulary has been reviewed and amended. Some of these are result of changes made to the new joint formulary and preferred list or changes in public health policies. Changes are summarised below -

- Update of Head Lice preparations as per new treatment policy (inclusion of Hedrin®)
- Change to Rapolyte® from Dioralyte®
- Addition of domperidone 10mg tablets
- Change to Occlusal® from Salactol® and Salatac®
- Addition of Pavacol D®
- Addition of Cystopurin®
- Addition of anti-fungal/corticosteroid topical preparations
- Addition of Bug-Busting Kit

- Removal of pholcodine paediatric linctus for therapeutic reasons

We have also updated the lay out of the MAS formulary and we hope that this is more user- friendly. PDF copies will also be made available for download from www.ggcformulary.scot.nhs.uk or www.communitypharmacy.scot.nhs.uk from NHS Greater Glasgow and Clyde page.

Compliance with the formulary will ensure that contractors are correctly remunerated for supplies made on CP2s. Pharmacists are encouraged to prescribe generically, but ensure correct endorsement for P products supplied (see individual entries for details). The formulary entries in red text refer to how the medicine should be written on the prescription, with additional information regarding what product and pack size to supply and how to endorse below each entry.

For all queries regarding MAS, please contact the Pharmacy Team in QPH on 0141 201 5638.

1. GASTRONINTESTINAL

1.1 INDIGESTION

1.1.1 ALUMINIUM AND MAGNESIUM CONTAINING ANTACIDS See section 1.1.1 of the BNF for further information.

CO-MAGALDROX SF SUSPENSION 195/220/5ml

Supply and endorse as Mucogel[®]. Supply 500ml.

ALUMINIUM HYDROXIDE LIQUID

Supply 500ml.

1.1.2 COMPOUND ALGINATES AND PROPRIETARY INDIGESTION PREPARATIONS

PEPTAC[®] LIQUID

Peppermint and aniseed flavours. Supply 500ml pack.

RANITIDINE 75mg TABLETS

Supply as either a pack of 6 tablets or 12 tablets.

1.2 INFANT COLIC

See section 1.1.1 of the BNF for further information.

INFACOL[®] LIQUID

Supply 50ml pack.

1.3 CONSTIPATION

1.3.1 BULK-FORMING LAXATIVES

See section 1.6.1 for further information.

ISPAGHULA HUSK 3.4g/3.5g

Supply in packs of 30 or 60 sachets.

Ensure adequate fluid intake. Not to be taken immediately before going to bed.

- 1.3.2 **STIMULANT LAXATIVES**
See section 1.6.2 of the BNF for further information.

SENNA SYRUP 7.5mg/5ml

Supply 100ml pack.

SENNA TABLETS 7.5mg

Supply pack up to 30 tablets.

DOCUSATE SODIUM CAPSULES

Supply pack of 30 capsules.

DOCUSATE LIQUID

Supply 300ml pack.

BISACODYL 10mg SUPPOSITORIES

Supply pack of 12 suppositories.

BISACODYL 5mg TABLETS

Supply pack of 28 tablets.

GLYCERIN 4g (ADULT) SUPPOSITORIES

Supply pack of 12 suppositories.

- 1.3.3 **OSMOTIC LAXATIVES**
See Section 1.6.4 of the BNF for further information.

LACTULOSE SOLUTION

Supply 300ml/500ml pack.

- 1.4 **DIARRHOEA**

- 1.4.1 **ANTIMOLITY DRUGS**

LOPERAMIDE 2mg CAPSULES

Supply in packs of 6,12 or 30 capsules if supplying a generic OTC brand, and in packs of 18 capsules if supplying and endorsing as Imodium®.

In adults and children over 12 years. Maximum strength 2mg, maximum dose 4mg and maximum daily dose 12mg.

- 1.4.2 **ORAL REHYDRATION THERAPY**
See section 9.2.1.2 of the BNF for further information.

RAPOLYTE® SACHETS

Supply in packs of 20 sachets.

1.5 **HAEMORRHOIDS**

1.5.1 **SOOTHING HAEMORRHOIDAL PREPARATIONS**

See section 1.7.1 of the BNF for further information.

ANUSOL[®] CREAM

Supply 23g pack.

ANUSOL[®] OINTMENT

Supply 25g pack.

ANUSOL[®] SUPPOSITORIES

Supply pack of 12 suppositories.

1.5.2 **COMPOUND HAEMORRHOIDAL PREPARATIONS WITH CORTICOSTEROIDS**

See section 1.7.2 of the BNF for further information.

ANUSOL HC[®] OINTMENT

Supply 15g pack.

ANUSOL HC[®] SUPPOSITORIES

Supply pack of 12 suppositories.

1.6 **MOUTH ULCERS AND TEETHING**

See section 12.3.1 of the BNF for further details

BENZYDAMINE 0.15% MOUTHWASH

Supply 300ml pack.

BENZYDAMINE 0.15% SPRAY

Supply 30ml pack.

CHLORHEXIDINE 0.2% MOUTHWASH

Supply 300ml pack.

CHOLINE SALICYLATE GEL

Supply 15g pack.

LIDOCAINE 0.1% AND CETALKONIUM CHLORIDE 0.33% TEETHING GEL

Supply and endorse as Bonjela[®] Teething Gel. Supply 15g pack.

HYDROCORTISONE 2.5mg PELLETS

Supply pack of 20 pellets.

TRIAMCINOLONE ACETONIDE 0.1% PASTE

Supply and endorse as Adcortyl[®] in Orabase Ulcer pack. Supply 5g pack.

1.7

ORAL THRUSH

See section 12.3.2 of the BNF for further information.

MICONAZOLE ORAL GEL

Supply 15g pack.

2. RESPIRATORY

2.1 HAY FEVER

2.1.1 NON-SEDATING ANTIHISTAMINES

See section 3.4.1 of the BNF for further information.

The drugs on this list can only be supplied as P medicines if supply is to adults and children over 12 years and if the maximum daily dose is 10mg. (excluding cetirizine solution).

CETIRIZINE 10mg TABLETS

Supply up to pack of 30 tablets.

CETIRIZINE SOLUTION 1mg/1ml ORAL SOLUTION

Supply 70ml, 100ml or 200ml packs.

LORATADINE 10mg TABLETS

Supply up to pack of 30 tablets.

LORATADINE 5mg/5ml SYRUP

Supply 100ml pack.

2.1.2 SEDATING ANTIHISTAMINES

See section 3.4.1 of the BNF for further information.

Drowsiness may affect performance of skilled tasks (e.g. driving); sedating effects enhanced by alcohol.

CHLORPHENAMINE 4mg TABLETS

Supply pack of 30 tablets.

CHLORPHENAMINE 2mg/5ml SYRUP

Supply 150ml pack.

2.1.3 OTHER ANTIINFLAMMATORY PREPARATIONS

SODIUM CROMOGLICATE 2% EYE DROPS

Supply and endorse as Optrex[®] Allergy and supply a 10ml pack.

2.1.4 STEROID NASAL SPRAYS

See section 12.2.1 of the BNF for further information.

BECLOMETASONE NASAL SPRAY

Supply either 100 or 180 dose pack. (Avoid supply of 200 dose pack as this defaults to a POM pack at PSD)

2.2 COUGH AND NASAL CONGESTION

2.2.1 AROMATIC INHALATIONS

See section 3.8 of the BNF for further information.

MENTHOL CRYSTALS

Supply 5g pack.

2.2.2 COUGH SUPPRESSANTS

See section 3.9.1 of the BNF for further information.

It is recommended that any cough preparations supplied are done so in original patient packs as opposed to the packing down from stock bottles.

PHOLCODINE LINCTUS 5mg/5ml

Supply 200ml pack.

PAVACOL-D[®]

This preparation should be restricted for use in patients with diabetes only. Supply 150ml pack.

2.2.3 EXPECTORANTS AND DEMULCENT COUGH PREPARATIONS

See section 3.9.2 of the BNF for further information.

SIMPLE SF LINCTUS

Supply 200ml pack.

SIMPLE PAEDIATRIC SF LINCTUS

Supply up to a 200ml pack

2.2.4 **TOPICAL NASAL DECONGESTANTS**

See section 12.2.2 of the BNF for further information.

XYLOMETAZOLINE 0.1% NASAL DROPS

Supply and endorse as Otrivine[®]. Supply 10ml pack.

XYLOMETAZOLINE 0.1% NASAL SPRAY

Supply and endorse as Otrivine[®]. Supply 10ml pack.

XYLOMETAZOLINE 0.05% PAEDIATRIC NASAL DROPS

Supply and endorse as Otrivine[®]. Supply 10ml pack.

3. CENTRAL NERVOUS SYSTEM

3.1 PAIN

3.1.1 NON-OPIOID ANALGESICS

See section 4.7.1 and 10.1.1 of the BNF for further information.

PARACETAMOL 500mg TABLETS

Supply up to 32 tablet pack.

PARACETAMOL SF 120mg/5ml SUSPENSION

Supply 100ml pack.

PARACETAMOL SF 250mg/5ml SUSPENSION

Supply 100ml pack.

PARACETAMOL 120mg SOLUBLE TABLETS

Supply up to 24 tablet pack.

CO-CODAMOL 8/500 TABLETS

Second line agent after paracetamol.

Supply up to 32 tablet pack.

IBUPROFEN 200mg TABLETS

Supply up to 48 tablet pack.

IBUPROFEN 400mg TABLETS

Supply up to 48 tablet pack.

IBUPROFEN SF 100mg/5ml SUSPENSION

Supply 100ml or 150ml pack. (do not prescribe as syrup as this defaults to POM product)

3.1.2 TOPICAL ANALGESICS

See section 10.3.2 of the BNF for further information.

TRANSVASIN® HEAT RUB CREAM

Supply up to 40g pack.

3.2 **TRAVEL SICKNESS**

See section 4.6 of the BNF for further information.

CINNARIZINE 15mg TABLETS

Supply pack of 15 tablets.

PROMETHAZINE TEOCLATE 25mg TABLETS

Supply and endorse as Avomine[®]. Supply pack of 28 tablets.

PROMETHAZINE HYDROCHLORIDE 5mg/5ml SF ELIXIR

Supply pack of 100ml.

3.3 **NAUSEA AND VOMITING**

See section 4.6 of the BNF for further information.

DOMPERIDONE 10mg TABLETS

Supply and endorse as Motilium 10[®] tabs 10mg. Supply maximum of 10 tablets.

4. INFECTION

4.1 FUNGAL INFECTIONS

4.1.1 VAGINAL CANDIDIASIS

See section 5.2 and section 7.2.2 of the BNF for further information.

FLUCONAZOLE 150mg CAPSULE

PGD available. Supply pack of 1 capsule. This product can be sold to the public for vaginal candidiasis in women aged 16-60 years, in a container or packaging containing not more than 150mg and labelled to show a maximum dose of 150mg.

CLOTRIMAZOLE 500mg VAGINAL TABLETS

Supply pack of 1 vaginal tablet.

CLOTRIMAZOLE 1% CREAM

Supply 20g pack.

CLOTRIMAZOLE 2% CREAM

Supply 20g pack.

CLOTRIMAZOLE 10% VAGINAL CREAM

Supply 5g pack. Endorse and supply as Canesten® Internal Cream.

4.1.2 ATHLETE'S FOOT

Also see section 6.2.6 for antifungal products combined with topical corticosteroids.

CLOTRIMAZOLE 1% cream

Supply 20g pack.

MICONAZOLE 2% CREAM

Supply 30g pack.

MICONAZOLE SPRAY POWDER

Supply and endorse as Daktarin® spray powder. Supply 100g pack.

TERBINAFINE 1% CREAM

Supply and endorse as Lamisil AT®.

Only to be used if other treatments are ineffective.

Supply 7.5g pack.

4.2 VIRAL INFECTIONS

4.2.1 COLD SORES

See section 13.10.3 of the BNF for further information.

ACICLOVIR 5% CREAM

Only supply and endorse as acyclovir cream 5%, 2g.
Do not endorse by brand name.

4.2.2 WARTS AND VERRUCAE

See section 13.7 of the BNF for further information.

OCCLUSAL[®]

Supply 10ml pack.

4.3 PARASITIC INFECTION

4.3.1 THREADWORM

See section 5.5.1 of the BNF for further information.

All family members should be treated at the same time, even if they have no symptoms, to prevent re-infection.

PIPERAZINE 4g ORAL POWDER

Supply and endorse as Pripsen[®]. Supply 2 sachet pack.

MEBENDAZOLE 100mg CHEWABLE TABLETS

Endorse as Ovex[®] tablets. Supply 1 tablet pack.

MEBENDAZOLE 100mg/5ml SUSPENSION

Endorse as Ovex[®] suspension. Supply 30ml pack.

4.3.2 HEAD LICE

See section 13.10.4 of the BNF for further information.

The Greater Glasgow and Clyde Head Lice Project guidance notes were updated in September 2006. The project allows community pharmacists to supply selected medicines for head lice management on the NHS for eligible patients.

See www.glasgowpharmacyhealthpromotion.scot.nhs.uk for further information. The current policy recommends the following preparations as first line agents for head lice. If a course of treatment (two applications, one week apart) fails to cure, a different insecticide should be used for the next treatment.

MALATHION 0.5% LOTION (alcohol based)

Supply and endorse as Prioderm[®], the preferred malathion preparation except in those with eczema, asthma or young children. Supply as 50ml or 200ml pack.

MALATHION 0.5% LIQUID (aqueous based)

Supply and endorse as Derbac M[®]. This is the preferred malathion preparation for those who the lotion is not suitable. Supply as 50ml or 200ml pack.

PHENOTHHRIN 0.5% LIQUID (aqueous based)

Supply and endorse as Full Marks[®] liquid, the preferred phenothrin preparation. Supply either 50ml or 200ml pack.

DIMETICONE 4% LOTION

Supply and endorse as Hedrin[®]. Supply 50ml pack. Hedrin[®] does not contain a chemical insecticide, but works by encapsulating the head lice, preventing them from functioning.

4.3.3 SCABIES

See section 13.10.4 of the BNF for further information.

PERMETHRIN 5% DERMAL CREAM

Supply and endorse as Lycllear dermal cream[®]. Supply 30g pack.

5. URINARY TRACT DISORDERS

5.1 ALKALINISATION OF URINE

See section 7.4.3 of the BNF for further information

POTASSIUM CITRATE 3g GRANULES

Supply and endorse as Cystopurin[®]. Supply 6 sachet pack.

6. SKIN

6.1 ACNE

See section 13.6.1 of the BNF for further information.

BENZOYL PEROXIDE 2.5% AQUEOUS GEL

Supply and endorse as PanOxyl[®] Aquagel. Supply 40g pack.

BENZOYL PEROXIDE 5% AQUEOUS GEL

Supply and endorse as PanOxyl[®] Aquagel. Supply 40g pack.

BENZOYL PEROXIDE 10% AQUEOUS GEL

Supply and endorse as PanOxyl[®] Aquagel. Supply 40g pack.

6.2 ECZEMA/ALLERGY

6.2.1 EMOLLIENTS

See section 13.2.1 of the BNF for further information.

AQUEOUS CREAM BP

Supply 500g pack.

EMULSIFYING OINTMENT BP

Supply 500g pack.

HYDROUS OINTMENT BP

Supply 500g pack.

LIQUID AND WHITE SOFT PARAFFIN OINTMENT NPF

Supply 500g pack.

PARAFFIN, WHITE SOFT BP

Supply 500g pack.

PARAFFIN, YELLOW SOFT BP

Supply 500g pack.

DIPROBASE[®] CREAM

Supply 50g or 500g pack.

DIPROBASE[®] OINTMENT

Supply 50g pack.

- 6.2.2 **EMMOLIENT BATH ADDITIVES**
See section 13.2.1.1 of the BNF for further information.

OILATUM[®] EMOLLIENT BATH ADDITIVE

Supply 250ml or 500ml pack.

HYDROMOL[®] EMOLLIENT BATH ADDITIVE

Supply 150ml or 350ml pack.

- 6.2.3 **BARRIER PREPARATIONS**
See section 13.2.2 of the BNF for further information.

SUDOCREM[®] CREAM

Supply 60g or 125g pack.

ZINC AND CASTOR OIL OINTMENT BP

Supply 50g or 100g pack.

- 6.2.4 **TOPICAL ANAESTHETICS AND ANTIPRURITICS**
See section 13.3 of the BNF for further information.

CALAMINE LOTION

Supply 200ml pack.

CALAMINE AQUEOUS CREAM

Supply 100g pack.

CROTAMITON 10% CREAM

Supply and endorse as Eurax[®] cream. Supply 30g or 100g pack.

CROTAMITON 10% LOTION

Supply and endorse as Eurax[®] lotion. Supply 100ml pack.

- 6.2.5 **TOPICAL CORTICOSTEROIDS**

HYDROCORTISONE 1% CREAM

Supply 15g pack.

CLOBETASONE BUTYRATE 0.05% CREAM

Supply and endorse as Eumovate[®]. Supply 15g pack.

6.2.6 **TOPICAL CORTICOSTEROIDS WITH ADDITIONAL INGREDIENTS**
See section 13.4 of the BNF for further information.

CANESTEN HC[®]

For the treatment of athlete's foot and fungal infection of skin fold with inflammation. Supply 15g pack.

DAKTACORT HC[®]

For the treatment of athlete's foot and candidal intertrigo. Supply 15g pack.

EURAX HC[®]

For the treatment of contact dermatitis and insect bites. Supply 15g pack.

6.3 **SHAMPOOS AND SCALP APPLICATIONS**

See section 13.9 of the BNF for further information.

ALPHOSYL 2 IN 1[®] SHAMPOO

Supply 125ml or 250ml pack.

POLYTAR[®] LIQUID

Supply 150ml pack.

CAPASAL[®] SHAMPOO

Supply 250ml pack.

KETOCONAZOLE 2% SHAMPOO

For the treatment of seborrhoeic dermatitis of the scalp. Prescribe generically and endorse with brand prescribed. Supply either 60ml or 100ml pack.

SELENIUM SULPHIDE 2.5% SHAMPOO

Supply and endorse as Selsun[®]. Supply 50ml pack.

6.4 PREPARATIONS FOR BOILS

See section 13.10.5 of the BNF for further information.

MAGNESIUM SULPHATE PASTE BP

Supply 50g pack.

6.5 IODINE

See section 13.11.4 of the BNF for further information.

POVIDONE-IODINE 10% OINTMENT

Supply and endorse as Betadine[®] Ointment. Supply 20g pack.

POVIDONE-IODINE 10% ANTISEPTIC PAINT

Supply and endorse as Betadine[®] antiseptic paint.

Supply 8ml pack.

7 VITAMINS

7.1 VITAMIN SUPPLEMENTATION FOR PREGNANCY

See section 9.1.2 of the BNF for further information.

FOLIC ACID 400microgram TABLETS

For use by females during pregnancy (only until 12th week of gestation). Supply 90 tablets.

8 EYE

8.1 DRY EYES AND TEAR DEFICIENCY

See section 11.8.1 of the BNF for further information.

HYPROMELLOSE 0.3% EYE DROPS

Supply 10ml pack.

LACRI-LUBE[®] EYE OINTMENT

Only to be supplied if hypromellose has been ineffective.

Supply 3.5g or 5g pack.

CARBOMER 980 (POLYACRYLIC ACID) 0.2%

Supply and endorse by brand name (e.g. Viscotears[®]). Only to be supplied if hypromellose has been ineffective.

Supply 3.5g or 5g pack.

8.2 ANTIBACTERIAL EYE PREPARATIONS

See section 11.3.1 of the BNF for further information.

CHLORAMPHENICOL 0.5% EYE DROPS

Covered by Patient Group Directive for which it needs to be prescribed generically.

Supply 10ml pack.

CHLORAMPHENICOL 1% EYE OINTMENT

Currently not covered by a Patient Group Directive.

Supply 4g pack.

9 **EAR**

9.1 **REMOVAL OF EAR WAX**

See section 12.1.3 of the BNF for further information.

OLIVE OIL EAR DROPS

Olive oil packaged in a suitable container.
Supply 10ml, 25ml or 50ml pack.

CERUMOL[®] EAR DROPS

Supply 11ml pack.

SODIUM BICARBONATE 5% EAR DROPS

Supply 10ml pack.

HOMEOPATHY

Homeopathic products are treated as “specials” by PSD, therefore are not allowed to be prescribed via the Minor Ailment Service. This is applicable even if the product holds a current MHRA license.

11 APPENDIX 1: FORMULARY APPEALS

The Greater Glasgow and Clyde Minor Ailment Service (MAS) Formulary is reviewed annually to ensure it reflects current local guidelines and best clinical practice.

If a medicine has been omitted from this Formulary and it is felt that there is appropriate evidence for it to be included, community pharmacists have the right to appeal to request the addition of a medicine to the Formulary subject to the following conditions:

1. The medicine is included in the main Greater Glasgow and Clyde Formulary (all community pharmacies receive a copy each year)
2. The medicine is available as a medicine
3. The appealing pharmacist is contracted to NHS Greater Glasgow and Clyde

The following form may be copied and used to submit an appeal. It will not be considered unless accompanied by part 2 of the form (declaration of interests in the pharmaceutical industry)

Declaration of Interests in the Pharmaceutical Industry

Name: (block capitals)	
Pharmacy name:	
Manufacturer of appeal medicine	

I wish to declare that I have an interest in the above pharmaceutical
company(ies):

YES	NO
-----	----

If YES, please provide details of your interest:

CURRENT PERSONAL INTERESTS

Nature of interest: (e.g. shares, fees, consultancy, salary, grants etc)

NON-PERSONAL INTERESTS

(which have arisen during the last 12 months)

Nature of interest: (e.g. shares, fees, consultancy, salary, grants etc)

ADDITIONAL INFORMATION:

- Personal interests include any payments/gifts/interests to yourself as an individual
- Non-personal interests include those of your employer
- Specific interests relate directly to the medicine you are appealing
- Non-specific interests relate to the company and/or any of their other products
- Please include here any information which, whilst not strictly a personal or non-personal interest, may nevertheless be perceived to cause a conflict of interest.
- Please also include details of any personal interests in the pharmaceutical industry held by partners or any adult members of your immediate household. (Names of household members do not need to be declared and only the type of interest (e.g. stocks, shares) and company name need be stated.

This information is correct to the best of my knowledge and belief.

Signed: Date:

Please forward the completed form to:
Roy Foot, Formulary Development Pharmacist, Prescribing Team, Queens Park House,
Victoria Infirmary, Langside Road, Glasgow, G42 9TY
Or via email to Roy.foot@nhs.net

THIS IS PART 2 OF 2

INDEX

ACICLOVIR.....	16	LACRI-LUBE®.....	22
Adcorty® in Orabase..... See triamcinolone acetonide		LACTULOSE.....	7
ALPHOSYL 2 IN 1®.....	20	Lamisil AT®..... See terbinafine	
ALUMINIUM HYDROXIDE LIQUID.....	6	LIDOCAINE AND CETALKONIUM CHLORIDE.....	8
ANUSOL HC®.....	8	LIQUID AND WHITE SOFT PARAFFIN OINTMENT	
ANUSOL®.....	8	NPF.....	18
AQUEOUS CREAM.....	18	LOPERAMIDE.....	7
BECLOMETASONE.....	11	LORATADINE.....	10
BENZOYL PEROXIDE.....	18	Lyclear dermal cream®..... See permethrin	
BENZYDAMINE.....	8	MAGNESIUM SULPHATE PASTE BP.....	21
Betadine®..... See povidone-iodine		MALATHION.....	16
BISACODYL.....	7	MEBENDAZOLE.....	16
Bonjela® Teething Gel.... See lidocaine and cetalkonium chloride		MENTHOL.....	11
CALAMINE.....	19	MICONAZOLE.....	9, 15
CANESTEN HC®.....	20	Motilium 10®..... See domperidone	
CAPASAL®.....	20	Mucogel®..... See co-magaldrox	
CARBOMER 980.....	22	OCCLUSAL®.....	16
CERUMOL®.....	23	OILATUM®.....	19
CETIRIZINE.....	10	OLIVE OIL.....	23
CHLORAMPHENICOL.....	22	Ovex®..... See mebendazole	
CHLORHEXIDINE.....	8	PanOxyl® Aquagel..... See benzoyl peroxide	
CHLORPHENAMINE.....	10	PARACETAMOL.....	13
CHOLINE SALICYLATE.....	8	PARAFFIN, WHITE SOFT BP.....	18
CINNARIZINE.....	14	PARAFFIN, YELLOW SOFT BP.....	18
CLOBETASONE BUTYRATE.....	20	PAVACOL-D®.....	11
CLOTRIMAZOLE.....	15	PEPTAC®.....	6
CO-CODAMOL.....	13	PERMETHRIN.....	17
CO-MAGALDROX.....	6	PHENOTHHRIN.....	17
CROTAMITON.....	19	PHOLCODINE.....	11
Cystopurin®..... See potassium citrate		PIPERAZINE.....	16
DAKTACORT HC®.....	20	POLYACRYLIC ACID.....	22
Derbac M®..... See malathion		POLYTAR®.....	20
DIMETICONE.....	17	POTASSIUM CITRATE.....	17
DIPROBASE®.....	18	POVIDONE-IODINE.....	21
DOCUSATE.....	7	Prioderm®..... See malathion	
DOMPERIDONE.....	14	Pripsen®..... See piperazine	
EMULSIFYING OINTMENT BP.....	18	PROMETHAZINE HYDROCHLORIDE.....	14
Eumovate®..... See clobetasone butyrate		PROMETHAZINE TEOCLATE.....	14
EURAX HC®.....	20	RANITIDINE.....	6
Eurax®..... See crotamiton		RAPOLYTE®.....	7
FLUCONAZOLE.....	15	SELENIUM SULPHIDE.....	20
FOLIC ACID.....	22	Selsun®..... See selenium sulphide	
Full Marks®..... See phenothrin		SENNA.....	7
GLYCERIN.....	7	SIMPLE PAEDIATRIC SF LINCTUS.....	11
Hedrin®..... See dimeticone		SIMPLE SF LINCTUS.....	11
HYDROCORTISONE.....	8, 20	SODIUM BICARBONATE.....	23
HYDROMOL®.....	19	SODIUM CROMOGLICATE.....	10
HYDROUS OINTMENT BP.....	18	SUDOCREM®.....	19
HYPROMELLOSE.....	22	TERBINAFINE.....	15
IBUPROFEN.....	13	TRANSVASIN®.....	13
INFACOL®.....	6	TRIAMCINOLONE ACETONIDE.....	9
ISPAGHULA HUSK.....	6	Viscotears®..... See carbomer 980	
KETOCONAZOLE.....	20	XYLOMETAZOLINE.....	11
		ZINC AND CASTOR OIL OINTMENT BP.....	19