2465 - CPS1 Pharmacv:

CPS1 - Jenny O'Donnell User: Thu, Jan 12, 2012 09:49 Last login:

Search Protocols Reports Change password Manage profile Help Logout

Born 11-Mar-1977 (34y) Gender Male CHI No. 777777777 **BISCUIT, Bertie** Patient Details Last Modified On 12-Jan-2012 By CPS1 Address V Phone and email HRM Methotrexate Process: Concordance > Interactions & precautions > Adverse reactions > Monitoring > Review Monitoring Is the patient aware of how frequently they should have of 0 Methotrexate has a narrow therapeutic index. Monitoring is very their blood tests done? Yes No important. Patients should know who is responsible for the prescribing and monitoring of their methotrexate. You should Can the patient tell you the date of their last blood test expect to find monitoring will be and, if so, when was it? (Record the date or three monthly for people stable on methotrexate for years approximate date if known. Otherwise record "No") and with no co-morbidities 12-12-2011 · four to eight weekly for those in the first couple of years of being on a stable dosage or co-morbidities in long-term Does the patient record their blood results in their 0 methotrexate monitoring booklet? Yes No weekly - fortnightly for those just started. Actions: · Establish if the patient is receiving regular monitoring. · If the patient has not had their blood levels monitored within an appropriate timescale refer them to their GP practice for monitoring, contacting the GP to alert them. · Advise the patient to discuss their monitoring arrangements with their GP or practice nurse if there appears to be confusion about the interval. • Encourage the patient to check their results are normal with their GP or practice nurse after each test and record the results in their monitoring booklet. Encourage the patient to carry their methotrexate booklet. Record any care issues in the patient's care plan and agree desired outcome and actions. Back - Adverse reactions Save & Review

return to Methotrexate Review Page