

Patient Group Direction (PGD)

Supply of Fusidic Acid 2% Cream Version – 2.0

The purpose of the PGD is to allow management of impetigo in adults and children by registered pharmacists in Community Pharmacies.

This PGD authorises pharmacists delivering the NHS Pharmacy First Scotland Service Level Agreement to supply Fusidic acid 2% cream to adults and children presenting with symptoms of impetigo who meet the criteria for inclusion under the terms of the document.

NICE Guideline 153¹ recommends that hydrogen peroxide 1% cream should be considered as first line treatment for patients with localised non-bullous impetigo who are not systemically unwell or at high risk of complications. Hydrogen peroxide 1% cream (Crystacide) is listed on the NHS PFS Approved List.

Please refer to your local Health Board policy for first line treatment of impetigo.

Change History – see table at end of this document for more details

- Removal of lower age limit
- Minor changes to inclusion criteria
- Minor changes to exclusion criteria
- Clarification of symptoms
- Additional safety netting advice included

If this PGD is past the review date, the content shall remain valid until such time that the review is complete and a new version has been published. <u>It is the responsibility of the person using the PGD to ensure they are using the most recent issue.</u>

<u>1</u>. National Institute for Health and Care Excellence. *Guideline 153 Impetigo : antimicrobial prescribing*. February 2020. Available at: Impetigo: antimicrobial prescribing (nice.org.uk) (accessed 16th June 2022)

PGD Fusidic Acid Cream 2%

Authorisation

This specimen Patient Group Direction (PGD) has been produced in collaboration with the Scottish Antimicrobial Prescribing Group and the Primary Care Community Pharmacy Group to assist NHS Boards in the provision of uniform services under the 'NHS Pharmacy First Scotland' banner across NHS Scotland. NHS boards should ensure that the final PGD is considered and approved in line with local clinical governance arrangements for PGDs.

The qualified health professionals who may supply Fusidic Acid 2% cream under this PGD can only do so as named individuals. It is the responsibility of each professional to practice within the bounds of their own competence and in accordance with their own Code of Professional Conduct, and to ensure familiarity with the marketing authorisation holder's summary of product characteristics (SPC) for all medicines supplied in accordance with this PGD.

NHS board governance arrangements will indicate how records of staff authorised to operate this PGD will be maintained. Under PGD legislation there can be no delegation. Supply of the medicine has to be by the same practitioner who has assessed the patient under the PGD.

This specimen PGD has been approved on behalf of NHS Scotland by NHS 24 by:

Doctor	Dr Laura Ryan	Signature	have Ryz		
Pharmacist	Dr John McAnaw	Signature	Johgufu	~~~	
NHS Scotland Representative	Mr Jim Miller	Signature	for he.	le o	
Approved on behalf c	of NHS Dumfries and	Galloway by:	<i>u</i> 0		
Medical Director Kenneth Donaldson Signature					
Interim Director of Pharmacy: Gordon Loughran Signature					
Nurse Director	Mark Kelly	Signa	ature	<u> </u>	
Date Approved: 12/08/2022					
Effective from: 12/08/2022Review date:31/08/2024Extension approved: 01/11/2024Locally Extended to:31/05/2025					
Clinical Situation	Treatment of mir	orstanbylococcal	skin infections (Im	oetigo)	
NHS Pharmacy First Scotland PGD Fusidic Acid 2% Cream Version 2.0 Aug 2022 Locally Extended to: 31 st May 2025					

Inclusion Criteria	 Adults and children with minor/localised, uncomplicated skin infection The rash consists initially of vesicles with erythematous base which easily rupture and are seldom observed. The exudate dries to form yellow-gold or yellow-brown crust which gradually thickens Informed consent by patient or parent/carer Patient must be present at consultation 		
Exclusion Criteria	 Widespread skin infection. History of MRSA colonisation or infection Has had impetigo treated with an antibiotic (including fusidic acid 2% cream) within the last 3 months. Patient systemically unwell Allergy to any component of the cream. Patient/carer refuses treatment. Presenting with any underlying skin condition on the same area of the body as impetigo. 		
Cautions /Need for further advice/ Circumstances when further advice should be sought from a doctor	 Any doubt as to inclusion/exclusion criteria being met. Lesions present near the eye – care should be taken when applying cream near to the eye. Patients under one year of age – in some cases, impetigo management may require oral (or sometimes IV) antibiotics, especially in neonates. These children may need clinical review therefore appropriate safety-netting advice is essential e.g. if not improving, see GP. 		
Action if Excluded	Refer to GP Practice/Out-of-hours (OOH) service and document in Patient Medication Record (PMR)		
Action if Patient Declines`	If patient declines treatment, advise on self-care to relieve symptoms and advise to see their GP if symptoms fail to resolve within 5 days or if symptoms worsen. Advise to contact NHS 24 if becoming systemically unwell or rapidly spreading to large areas of body during OOH period.		
	The reason for declining treatment and advice given must be documented.		
	Ensure patient is aware of risks and consequences of declining treatment.		
	Record outcome in Patient Medication Record (PMR) if appropriate.		

|

Description of Treatment

Description of Treatment				
Name of Medicine	Fusidic Acid			
Form/Strength	2% Cream			
Route of	Topical			
administration				
Dosage	Apply gently to lesions			
Frequency	Apply three or four times daily			
Duration of treatment	5 days			
Maximum or minimum	Use for a maximum of 5 days. Maximum of one supply in three			
treatment period	months.			
Quantity to	1 x 15g			
supply/administer				
▼ additional	No			
monitoring				
Legal Category	POM (Prescription Only Medicine)			
Is the use outwith the SPC	No			
Storage requirements	As per manufacturer's instructions			
	Store below 25°C in a cool dry place			
Additional information	None			

possible adverse reactions and management of thesereactions may occur.For a full list of side effects – refer to the marketing authorisation holder's Summary of Product Characteristics (SPC). A copy of the SPC must be available to the health professional administering medication under this PGD. This can be accessed on Home electronic medicines compendium (emc)Reporting procedure for adverse reactionsPharmacists should document and report all adverse incidents through their own internal governance systems.All adverse reactionsAll adverse reactions (actual and suspected) should be reported to the appropriate medical practitioner and recorded in the patient's medical record. Pharmacists should record in their PMR and inform the patient's GP as appropriate (e.g. via SBAR).Advice to Patient/carer including written information• Wash hands before and after applying cream.• Where possible remove scabs by bathing with warm water before applying the cream.• Where possible remove scabs by bathing with warm water before applying the cream.• Impetigo is a very infectious condition. Important to prevent infection spreading by using own flannels and towels (hot wash after use).• Do not scratch or pick spots.• If applicable, suggest applying cream three times daily on school days (before school, after school and evening) and four		-			
Notice to Patient/carer including written informationHolder's Summary of Product Characteristics (SPC). A copy of the SPC must be available to the health professional administering medication under this PGD. This can be accessed on Home is electronic medicines compendium (emc)Reporting procedure for adverse reactionsPharmacists should document and report all adverse incidents through their own internal governance systems.All adverse reactionsAll adverse reactions (actual and suspected) should be reported to the appropriate medical practitioner and recorded in the patient's medical record. Pharmacists should record in their PMR and inform the patient's GP as appropriate (e.g. via SBAR).Where appropriate, use the Yellow Card System to report adverse drug reactions. Yellow Cards and guidance on its use are available at the back of the BNF or online at http://yellowcard.mhra.gov.uk/ Advice to Patient/carer including written information• Wash hands before and after applying cream.• Umpetigo is a very infectious condition. Important to prevent infection spreading by using own flannels and towels (hot wash after use).• Do not scratch or pick spots.• If applicable, suggest applying cream three times daily on school days (before school, after school and evening) and four	possible adverse	Side effects with this product are rare however hypersensitivity reactions may occur.			
for adverse reactionsthrough their own internal governance systems.All adverse reactions (actual and suspected) should be reported to the appropriate medical practitioner and recorded in the patient's medical record. Pharmacists should record in their PMR and inform the patient's GP as appropriate (e.g. via SBAR).Where appropriate, use the Yellow Card System to report adverse drug reactions. Yellow Cards and guidance on its use are available at the back of the BNF or online at http://yellowcard.mhra.gov.uk/ Advice to Patient/carer including written information• Wash hands before and after applying cream.• Where possible remove scabs by bathing with warm water before applying the cream.• Impetigo is a very infectious condition. Important to prevent infection spreading by using own flannels and towels (hot wash after use).• Do not scratch or pick spots.• If applicable, suggest applying cream three times daily on school days (before school, after school and evening) and four	management of these	For a full list of side effects – refer to the marketing authorisation holder's Summary of Product Characteristics (SPC). A copy of the SPC must be available to the health professional administering medication under this PGD. This can be accessed on <u>Home - electronic medicines compendium (emc)</u>			
 Advice to Patient/carer including written information Wash hands before and after applying cream. Where possible remove scabs by bathing with warm water before applying the cream. Impetigo is a very infectious condition. Important to prevent infection spreading by using own flannels and towels (hot wash after use). Do not scratch or pick spots. If applicable, suggest applying cream three times daily on school days (before school, after school and evening) and four 		Pharmacists should document and report all adverse incidents through their own internal governance systems.			
drug reactions. Yellow Cards and guidance on its use are available at the back of the BNF or online at http://yellowcard.mhra.gov.uk/ Advice to Patient/carer including written information• Wash hands before and after applying cream. • Where possible remove scabs by bathing with warm water before applying the cream. • Impetigo is a very infectious condition. Important to prevent infection spreading by using own flannels and towels (hot wash after use). • Do not scratch or pick spots. • If applicable, suggest applying cream three times daily on school days (before school, after school and evening) and four					
 including written information Where possible remove scabs by bathing with warm water before applying the cream. Impetigo is a very infectious condition. Important to prevent infection spreading by using own flannels and towels (hot wash after use). Do not scratch or pick spots. If applicable, suggest applying cream three times daily on school days (before school, after school and evening) and four 		Where appropriate, use the Yellow Card System to report adverse drug reactions. Yellow Cards and guidance on its use are available at the back of the BNF or online at http://yellowcard.mhra.gov.uk/			
 infection spreading by using own flannels and towels (hot wash after use). Do not scratch or pick spots. If applicable, suggest applying cream three times daily on school days (before school, after school and evening) and four 	including written	Where possible remove scabs by bathing with warm water before applying the cream.			
If applicable, suggest applying cream three times daily on school days (before school, after school and evening) and four		infection spreading by using own flannels and towels (hot wash after use).			
		If applicable, suggest applying cream three times daily on			

NHS Pharmacy First Scotland PGD Fusidic Acid 2% Cream Version 2.0 Aug 2022 Locally Extended to: 31st May 2025

	 Inform school of condition. Advise that child should be excluded from school until the lesions are crusted and healed or 48 hours after commencing antibiotic treatment. Do not share cream with anyone else. Do not apply to breast if patient is breastfeeding. Inform of possible side effects and their management. The Drug Manufacturer Patient Information Leaflet should be given. Patients should be informed who to contact should they experience an adverse drug reaction 		
Monitoring	Not applicable		
Follow-up	If the skin infection spreads or there is no improvement after 5 days, seek medical advice from GP. If patient becomes systemically unwell or rapidly spreading to large areas of body during OOH period seek medical advice from NHS 24.		
Additional Facilities	 The following should be available where the medication is supplied: An acceptable level of privacy to respect patient's right to confidentiality and safety. Access to medical support (this may be via the telephone). Clean and tidy work areas, including access to hand washing facilities. Access to current BNF (online version preferred). 		

Characteristics of staff authorised under the PGD

I

Professional qualifications	Registered pharmacist with current General Pharmaceutical Council (GPhC) registration. Under PGD legislation there can be no delegation. Supply of the medication has to be by the same practitioner who has assessed the patient under this PGD.
Specialist competencies or qualifications	Has successfully completed NES Pharmacy "Impetigo for NHS Pharmacy First Scotland" e-learning module. Available at: <u>https://learn.nes.nhs.scot/34440/pharmacy/cpd-</u> <u>resources/impetigo-for-nhs-pharmacy-first-scotland</u> Able to assess the person's capacity to understand the nature and purpose of the medication in order to give or refuse consent. Must be familiar with the Fusidic Acid Cream Summary of Product Characteristics (SPC).
Continuing education and training	Has read current guidance on the management of impetigo Aware of local treatment recommendations. Attends approved training and training updates as appropriate. Undertakes CPD when PGD or NES Pharmacy module updates.

|--|

Version history

Version	Date	Summary of Changes
1.0	April 2020	Version 1.0 New PGD
2.0	August 2022	 The following sections have been updated: Addition of statement regarding first line treatment of non-bullous impetigo for patients who are not systemically unwell or at high risk of complications – refer to local Health Board policy on use of hydrogen peroxide 1% cream (Crystacide) Addition of covering statement regarding validity of PGD when approaching date for review of content Removal of lower age limit of 2 years Changes to inclusion criteria to clarify symptoms of impetigo Amendment of exclusion criteria from multiple site to widespread infection Removal of "concern about non-compliance with topical treatment" exclusion Update to guidance for children at school to minimise risk of spread of infection Addition of guidance on follow up required when patient becomes systemically unwell during OOH period

PATIENT GROUP DIRECTION FOR THE SUPPLY OF FUSIDIC ACID 2% CREAM BY COMMUNITY PHARMACISTS UNDER THE "NHS PHARMACY FIRST SCOTLAND" SERVICE

Individual Authorisation

PGD does not remove inherent professional obligations or accountability

It is the responsibility of each professional to practice only within the bounds of their own competence and in accordance with the General Pharmaceutical Council Standards for Pharmacy Professionals.

Note to Authorising Authority: authorised staff should be provided with access to the clinical content of the PGD and a copy of the document showing their authorisation.

I have read and understood the Patient Group Direction authorised by each of the individual NHS Boards that I wish to operate in and agree to provide Fusidic Acid 2% cream.

Name of Pharmacist

GPhC Registration Number

Normal Pharmacy Location

(Only one Pharmacy name and contractor code is required for each Health Board (HB) area where appropriate. If you work in more than 3 HB areas please use additional forms.)

Name & Contractor code HB (1)	
Name & Contractor code HB (2)	
Name & Contractor code HB (3)	

Please indicate your position within the pharmacy by ticking one of the following:

Locum	Empl	oyee Man	ager	Own	er
Signature		Da	ate		
Please tick and send addresses are given of		•	ou work	in. Fax numbers	, email and postal
Ayrshire & Arran		Grampian		Orkney	
Borders		Gr Glasgow & Clyde	•	Shetland	
Dumfries & Galloway		Highland		Tayside	
Fife		Lanarkshire		Western Isles	
Forth Valley		Lothian			
NF	IS Pharı	macy First Scotland			

PGD Fusidic Acid 2% Cream Version 2.0 Aug 2022 Locally Extended to: 31st May 2025

NHS Board	Address	Fax Number
Ayrshire & Arran	Iain Fulton, NHS Ayrshire & Arran, Eglington House, Ailsa Hospital, Dalmellington Road, Ayr, KA6 6AB margaret.scott3@aapct.scot.nhs.uk	Please email or post
Borders	Adrian Mackenzie, Lead Pharmacist Pharmacy Department, Borders General Hospital, Melrose, TD6 9BS communitypharmacy.team@borders.scot.nhs.uk	Please email or post
Dumfries & Galloway	NHS Dumfries & Galloway, Primary Care Development, Ground Floor North, Mountainhall Treatment Centre, Bankend Rd, Dumfries, DG1 4TG Dg.pcd@nhs.scot	Please email or post
Fife	PGD Administrator, Pharmacy Services, NHS Fife, Pentland House, Lynebank Hospital, Halbeath Road, Dunfermline, KY11 4UW Fife.pgd@nhs.scot	Please email or post
Forth Valley	Community Pharmacy Development Team, Forth Valley Royal Hospital, Stirling Road, Larbert, FK5 4WR fv.communitypharmacysupport@nhs.scot	Please email or post
Grampian	Pharmaceutical Care Services Team NHS Grampian, Pharmacy & Medicines Directorate, Westholme, Woodend, Queens Road, Aberdeen, AB15 6LS <u>gram.pharmaceuticalcareservices@nhs.scot</u>	Please email or post
Greater Glasgow & Clyde	Janine Glen, Contracts Manager, Community Pharmacy, NHS Greater Glasgow & Clyde, Clarkston Court, 56 Busby Road, Glasgow G76 7AT <u>ggc.cpdevteam@nhs.scot</u>	0141 201 6044 Or email
Highland	Community Pharmaceutical Services, NHS Highland, Assynt House, Beechwood Park, Inverness. IV2 3BW <u>nhsh.cpsoffice@nhs.scot</u>	Please email or post
Lanarkshire	Pharmacy/Prescribing Admin Team, NHS Lanarkshire Headquarters, Kirklands, Fallside Road, Bothwell, G71 8BB <u>Pharmacy.AdminTeam@lanarkshire.scot.nhs.uk</u>	Please email or post
Lothian	Primary Care Contractor Organisation, 2 ND Floor, Waverley Gate, 2-4 Waterloo Place, Edinburgh, EH1 3EG <u>CommunityPharmacy.Contract@nhslothian.scot.nhs.uk</u>	Please email or post
Orkney	Lyndsay Steel, Lead General Practice Pharmacist. The Balfour, Foreland Road, Kirkwall, KW15 1NZ Phone: 01856 888 911 ork.primarycarepharmacy@nhs.scot	Please email or post
Shetland	Mary McFarlane, Principle Pharmacist, NHS Shetland, Gilbert Bain Hospital, Lerwick, Shetland, ZE1 0TB	01595 743356
Tayside	Diane Robertson Pharmacy Department, East Day Home, Kings Cross Hospital, Clepington Road, Dundee, DD3 8AE <u>Diane.Robertson9@nhs.scot</u>	Please email or post
Western Isles	Michelle Taylor, Primary Care Dept, The Health Centre, Springfield Road, Stornoway, Isle of Lewis, HS1 2PS	Please post