

Dear Colleague

## **ADDITIONAL PHARMACEUTICAL SERVICES NHS PHARMACY FIRST SCOTLAND – NEW COMMON CLINICAL CONDITION (SKIN INFLAMMATION)**

### **Summary**

1. This Circular advises Health Boards and community pharmacy contractors of a new Patient Group Direction (PGD) to be added to the NHS Pharmacy First Scotland service for the treatment of skin inflammation.

### **Background**

2. NHS Circular PCA (P)(2020) 13, issued on 1 July 2020, enclosed Directions for the Health Board Additional Pharmaceutical Services (NHS Pharmacy First Scotland) Directions 2020 which came into force as of 29 July 2020.

3. Five common clinical conditions, supported by PGDs, are currently included in the NHS Pharmacy First Scotland service: uncomplicated UTIs, impetigo, shingles, skin conditions and hay fever.

### **Details**

4. The new skin inflammation PGD has been signed off by NHS 24 for use in all Health Boards.

5. Health Boards are responsible for local governance processes to approve, sign and publish this PGD. Boards are asked to complete this as soon as they can do so and by 31 March 2026 at the latest.

6. Community pharmacy contractors and pharmacy teams should ensure they are familiar with the new arrangements detailed as follows:

10 March 2026

---

#### **Addresses**

##### For action

Chief Executives, NHS Boards

##### For information

NHS Directors of Pharmacy  
Director of Practitioner  
Services, NHS NSS

---

#### **Enquiries to:**

Pharmacy, Medicines and  
Therapeutics Division

1<sup>st</sup> Floor East Rear  
St Andrew's House  
EDINBURGH  
EH1 3DG

Email:

[PharmacyTeam@gov.scot](mailto:PharmacyTeam@gov.scot)

[www.gov.scot](http://www.gov.scot)

## Patient Group Direction (PGD)

7. A PGD has been developed nationally for NHS Pharmacy First Scotland for the treatment of skin inflammation using hydrocortisone 1% cream or ointment. This PGD allows community pharmacists to treat additional individuals who are not currently eligible for the standard treatment due to over the counter (OTC) licensing restrictions.

8. **Annex A** to this circular provides a copy of the specimen PGD, assessment form and GP notification form which has been approved by NHS 24. Community pharmacists are encouraged to familiarise themselves with the relevant details. In the meantime, as local governance procedures must be followed even when a PGD is agreed nationally, Health Boards will each approve, sign and publish this PGD through the appropriate channels.

9. An 'Individual Authorisation Form' should be completed by pharmacists delivering NHS Pharmacy First Scotland and submitted, where required, to each Health Board area that they work in according to the usual process.

## Training

10. Community pharmacy contractors should ensure that their pharmacists complete the e-learning module "[Inflammatory skin conditions for NHS Pharmacy First Scotland](#)", now available on the NES TURAS Learn website.

## IT roll-out

11. All Patient Medication Record (PMR) suppliers have confirmed that pharmacy IT software will support pharmacy teams to deliver this additional common clinical condition from 1 March 2026, but pharmacists should not use the 'Skin Inflammation' Universal Claim Framework (UCF) module until the Individual Authorisation Form for this PGD has been completed.

12. Community Pharmacy Scotland has been consulted on the contents of this Circular and the Scottish Drug Tariff is being amended.

## Action

13. Health Boards are asked to note the contents of this Circular and to bring it to the attention of community pharmacy contractors, local pharmacy committees and Health and Social Care Partnerships.

Yours sincerely,



## Alison Strath

Chief Pharmaceutical Officer  
Pharmacy & Medicines Division

# Annex A

**NHS PHARMACY  
FIRST SCOTLAND**  
ADVICE | TREATMENT | REFERRAL



## Patient Group Direction (PGD)

This PGD authorises community pharmacists to supply hydrocortisone 1% cream or ointment to patients aged 1 month and over for the treatment of symptoms of skin inflammation under NHS Pharmacy First Scotland.

Publication date: 28<sup>th</sup> January 2026

# Most Recent Changes

Version	Date	Summary of changes
1.0	28/01/2026	<ul style="list-style-type: none"><li>• New PGD</li></ul>

DRAFT

## Contents

Authorisation	3
1. Clinical situation	5
2. Description of treatment	7
3. Adverse reactions	9
4. Characteristics of staff authorised under the PGD	12
5. Audit trail	13
6. Additional references	15
7. Individual authorisation (Appendix 1)	16
8. Version history	18

# Authorisation

**This PGD is not legally valid until it has had the relevant organisational authorisation.**


## **PGD Hydrocortisone 1% cream or ointment**

This specimen PGD template has been produced in collaboration with the Community Pharmacy Advisory Group (CPAG) to assist NHS boards in the uniform provision of services under the 'NHS Pharmacy First Scotland' banner across NHS Scotland. NHS boards should ensure that the final PGD is considered and approved in line with local clinical governance arrangements for PGDs.

The community pharmacist who may supply hydrocortisone 1% cream or ointment under this PGD can do so only as a named individual. It is the responsibility of each professional to practice within the bounds of their own competence and in accordance with their own Code of Professional Conduct, and to ensure familiarity with the manufacturer's product information/summary of product characteristics (SPC) for all medicines supplied in accordance with this PGD.

NHS board governance arrangements will indicate how records of staff authorised to operate this PGD will be maintained. Under PGD legislation there can be no delegation. Supply of the medicine has to be by the same practitioner who has assessed the patient under the PGD.

This PGD has been approved on behalf of NHS Scotland by NHS 24 by:

Doctor (Name / Signature): Dr Ron Cook 

Pharmacist (Name /Signature): Dr John McAnaw 

NHS Scotland representative (Name / Signature): Mr Jim Miller 

Approved on behalf of NHS.....**insert Board**..... by:

Medical Director (Name / Signature).....

Director of Pharmacy/Senior Pharmacist (Name / Signature) .....

Clinical Governance Lead (Name / Signature) .....

Date approved: .....

Effective from: **insert date**

**It is the responsibility of the person using the PGD to ensure they are using the most recent issue.**

Expiry date: 27<sup>th</sup> January 2029

# 1. Clinical situation

## 1.1. Indication

Treatment of inflammatory skin conditions.

## 1.2. Inclusion criteria

Individuals aged 1 month and over with symptoms of skin inflammation, who are not eligible for treatment with an 'over the counter' (OTC) product (either sold OTC or supplied from NHS PFS Approved List)

## 1.3. Exclusion criteria

Hypersensitivity to the active substance or to any of the excipients.

Skin lesions caused by bacterial, fungal or viral skin infection e.g. cold sores, impetigo, chicken pox, acne, athlete's foot or ringworm.

Patients who have suffered any trauma to the area e.g. scratch, graze or bite (human or animal).

Infected eczema ( Signs include increased redness, swelling, warmth, oozing or pus, crusting, pain, and sometimes fever or blisters).

Rosacea.

Acne.

Perioral dermatitis.

Psoriasis.

Patient has a suspected systemic infection relating to the presenting skin condition.

Individuals who are unable to apply the product effectively to themselves or do not have a parent/guardian/carer to administer or apply the product for them.

Valid consent has not been received (either from the individual or, if applicable, from the parent/guardian/carer).

#### **1.4. Cautions / need for further advice / circumstances when further advice should be sought from a prescriber**

As with all topical corticosteroids, prolonged application is undesirable, particularly to the face. Individuals should adhere to guidance for duration of use, and seek further advice if symptoms worsen shortly after finishing treatment.

Topical corticosteroids may be used in pregnancy if the benefits to the mother and child outweigh the potential risks. Appropriate use of topical corticosteroids should, in general, not lead to high systemic levels and is therefore unlikely to pose significant risks during pregnancy.

There is no evidence against use in breastfeeding women. However, caution should be exercised when used by nursing mothers, in particular where treatment is applied to the breast.

Application to the periorbital area (including the eyelids): apply very sparingly for maximum of 7 days, and to seek further advice if any blurred vision occurs (to investigate for raised intraocular pressure or central serous retinopathy).

Frequent and liberal amounts of emollient should be advised as first line treatment for skin inflammation, particularly in children.

Refer to GP practice if symptoms worsen during the first 7 days of treatment or do not resolve following completion of treatment.

## 1.5. Action if excluded

If appropriate, refer to GP practice / Out-of-hours (OOH) service and document the reason for exclusion and any action taken in Patient Medication Record (PMR).

## 1.6. Action if patient declines

If appropriate, refer to GP practice and document the reason for declining treatment and advice given in PMR.

## 2. Description of treatment

### 2.1. Name of medicine / form / strength

Hydrocortisone 1% cream or ointment

### 2.2. Route of administration

Topical

### 2.3. Dosage

Apply sparingly to affected area(s)

### 2.4. Frequency

Once or twice daily

### 2.5. Duration of treatment

Normally up to 7 days, but may require up to 14 days.

## 2.6. Maximum or minimum treatment period

Treatment should be continued for 48 hours after flare has been controlled, up to a maximum of 14 days.

If using as treatment for nappy rash, infants and children should use for a maximum of 7 days.

If symptoms worsen during first 7 days of use - stop using and seek further medical advice .

## 2.7. Quantity to supply

1 x 15g tube or 1 x 30g tube

## 2.8. ▼ black triangle medicines

No

## 2.9. Legal category

Prescription Only Medicine (POM)

## 2.10. Is the use out with the SPC?

No.

## 2.11. Storage requirements

As per manufacturer's instructions

Store below 25°C in a cool, dry place

## 2.12. Additional information

None

## 3. Adverse reactions

### 3.1. Warnings including possible adverse reactions and management of these.

**Please refer to current BNF or SPC for full details**

Topical hydrocortisone preparations are usually well tolerated, but if a patient experiences any side effects that are intolerable or hypersensitivity reactions occur, the medication should be discontinued and seek further advice if required.

Spreading and worsening of untreated infection, thinning of the skin and pigmentation changes or excessive hair growth.

Striae may occur especially in intertriginous areas.

For a full list of side effects, refer to the marketing authorisation holder's Summary of Product Characteristics (SPC). A copy of the SPC must be available to the health professional supplying the medication under this PGD. This can be accessed on [www.medicines.org.uk](http://www.medicines.org.uk)

In the event of a severe adverse reaction, individuals should be advised to seek medical advice.

### 3.2. Reporting procedure for adverse reactions

Pharmacists should document and report all adverse incidents through their own internal governance systems.

All adverse reactions (actual and suspected) should be reported to the appropriate medical practitioner and recorded in the patient's medical record. Pharmacists should record in their PMR and inform the patient's GP as appropriate.

Where appropriate, healthcare professionals and individuals/carers should report suspected adverse reactions to the Medicines and Healthcare products Regulatory Agency (MHRA) using the Yellow Card reporting scheme. Yellow cards and guidance on their use are available at the back of the BNF or online at [www.mhra.gov.uk/yellowcard](http://www.mhra.gov.uk/yellowcard)

### **3.3. Advice to patient or carer including written information**

Written information to be given to individuals or their parent/guardian/carer:

- Provide manufacturer's consumer information leaflet/patient information leaflet (PIL)

Individual/parent/guardian/carer verbal advice:

- Advise on mode of action, benefits of the medicine, possible side effects and their management.
- Advise on how to apply an appropriate quantity of the cream or ointment (fingertip units) sparingly on the skin to cover the affected area.
- Wash hands before and after using the cream or ointment.
- Do not cover the area with a dressing or plaster.
- Avoid getting the cream or ointment in the eyes.
- Advise on appropriate use of emollients if necessary – long term use can decrease the need for future topical corticosteroids. When co-administering emollient, apply the corticosteroid first, ideally leaving 20 - 30 minutes before applying emollient.

- If condition worsens during first 7 days of use or symptoms persist for longer than 14 days, stop using and seek further medical advice.
- The individual or their parent/guardian/carer should be advised to seek medical advice in the event of a severe adverse reaction.
- Inform the individual or their parent/guardian/carer that they can report suspected adverse reactions to the MHRA using the Yellow Card reporting scheme on: [www.mhra.gov.uk/yellowcard](http://www.mhra.gov.uk/yellowcard)

### 3.4. Monitoring

Not applicable

### 3.5. Follow up

Refer to GP practice if symptoms worsen or do not resolve following treatment.

### 3.6. Additional facilities

The following should be available when the medication is supplied:

- An acceptable level of privacy to respect patient's rights to confidentiality and safety
- Access to medical support (this may be via telephone or email)
- Approved equipment for the disposal of used materials
- Clean and tidy work areas, including access to hand washing facilities
- Access to current BNF (online version preferred)

## 4. Characteristics of staff authorised under the PGD

### 4.1. Professional qualifications

Pharmacist with current General Pharmaceutical Council (GPhC) registration.

**Under PGD legislation there can be no delegation. Supply of the medication has to be completed by the same practitioner who has assessed the patient under this PGD.**

### 4.2. Specialist competencies or qualifications

Persons must only work under this PGD where they are competent to do so.

All persons operating this PGD:

- must be familiar with the hydrocortisone medicine and alert to changes in the manufacturer's product information/summary of product characteristics information.
- must have successfully complete the NES Pharmacy e-learning module: **Inflammatory skin conditions for NHS Pharmacy First Scotland**
- must be able to assess the capacity of the individual or parent/guardian/carer to understand the nature of the purpose of the medication in order to give or refuse consent.

### 4.3. Continuing education and training

All practitioners operating under the PGD are responsible for ensuring they remain up to date with the use of medications included and be aware of local treatment recommendations.

Attend approved training and training updates as appropriate.

Undertake relevant continuing professional development when PGD or NES Pharmacy modules are updated.

## 5. Audit trail

### 5.1. Authorisation of supply

Pharmacists should complete the individual authorisation form contained in the PGD (Appendix 1) and, where required, submit to the relevant NHS Health Board prior to using the PGD.

### 5.2. Record of supply

An electronic or paper record must be completed to allow audit of practice. All records must be clear, legible, contemporaneous and in an easily retrievable format.

A Universal Claim Framework (UCF) record of the screening and subsequent supply, or not, of the medicine specified in this PGD should be made in accordance with the NHS Pharmacy First Scotland service specification.

Pharmacists must record the following information, included in the assessment form, in the PMR (either paper or computer based):

- name of individual, address, date of birth / CHI number
- name of GP with whom the individual is registered (if known)
- confirmation that valid consent to be treated under this PGD was obtained (include details of parent/guardian/carer where applicable)
- details of presenting complaint and diagnosis
- details of medicine supplied - name of medicine, batch number and expiry date, with date of supply.

- details of exclusion criteria – why the medicine was not supplied (if applicable)
- advice given, including advice given if excluded or declines treatment under this PGD
- details of any adverse drug reactions and actions taken
- referral arrangements (including self-care)
- signature and printed name of the pharmacist who undertook assessment of clinical suitability and, where appropriate, subsequently supplied the medicine

**The patient's GP (where known), should be provided with a copy of the GP notification form for the supply of hydrocortisone 1% cream or ointment, or appropriate referral on the same, or next available working day.**

These records should be retained in accordance with national guidance<sup>1</sup> (see page 56 for standard retention periods summary table). Where local arrangements differ, clarification should be obtained through the Health Board Information Governance Lead.

All records of the drug(s) specified in this PGD will be filed with the normal records of medicines in each service. A designated person within each service will be responsible for auditing completion of drug forms and collation of data.

1. Scottish Government. *Scottish Government Records Management*. Edinburgh 2020. Available at [SG-HSC-Scotland-Records-Management-Code-of-Practice-2020-v20200602.pdf](#) (accessed 22<sup>nd</sup> January 2026)

## 6. Additional references

Practitioners operating the PGD must be familiar with:

1. Current edition of British National Formulary (BNF) and BNF for children. Available at [BNF \(British National Formulary\) | NICE and BNFC \(British National Formulary for Children\) | NICE](#) (accessed 22<sup>nd</sup> January 2026)
2. Marketing authorisation holder's Summary of Product Characteristics. Electronic Medicines Compendium. *Hydrocortisone 1% w/w cream SPC*. Available at [Hydrocortisone cream 1% w/w - Summary of Product Characteristics \(SmPC\) - \(emc\) | 13103](#) (accessed 22<sup>nd</sup> January 2026)
3. Marketing authorisation holder's Summary of Product Characteristics. Electronic Medicines Compendium. *Hydrocortisone 1% w/w ointment SPC*. Available at [Hydrocortisone 1% w/w Ointment - Summary of Product Characteristics \(SmPC\) - \(emc\) | 4599](#) (accessed 22<sup>nd</sup> January 2026)
4. National Institute for Clinical Excellence / Public Health England. Available at: [Dermatitis - contact | Health topics A to Z | CKS | NICE](#) (accessed 22<sup>nd</sup> January 2026)
5. National Institute for Clinical Excellence / Public Health England. Available at: [Eczema - atopic | Health topics A to Z | CKS | NICE](#) (accessed 22<sup>nd</sup> January 2026)
6. National Institute for Clinical Excellence / Public Health England. Available at: [Corticosteroids - topical \(skin\), nose, and eyes | Health topics A to Z | CKS | NICE](#) (accessed 22<sup>nd</sup> January 2026)
7. Medicines and Healthcare products Regulatory Agency. *Guidance: Topical corticosteroids and withdrawal reactions*. Available at: [Topical corticosteroids and withdrawal reactions - GOV.UK](#) (accessed 22<sup>nd</sup> January 2026).
8. UK Teratology Information Service. Use of topical corticosteroids in pregnancy. Available at: [USE OF TOPICAL CORTICOSTEROIDS IN PREGNANCY – UKTIS](#) (accessed 21<sup>st</sup> January 2026)
9. National Eczema Society. *Emollients*. Available at: [Emollients - National Eczema Society](#) (accessed 22<sup>nd</sup> January 2026).

## 7. Individual authorisation (Appendix 1)

**Form will be issued from individual Health Boards who still require a signed authorisation form once PGD is signed off locally.**

DRAFT

NHS Board	Address	
Ayrshire & Arran	Complete MS Form available at <a href="#">Patient Group Directions – NHS Ayrshire &amp; Arran</a>	Microsoft Form
Borders	Complete MS Form available at <a href="https://nhsborders.scot.nhs.uk/patients-and-visitors/our-services/pharmacies/community-pharmacy/patient-group-directions-(pgds)-and-unscheduled-care-(cpus)/">nhsborders.scot.nhs.uk/patients-and-visitors/our-services/pharmacies/community-pharmacy/patient-group-directions-(pgds)-and-unscheduled-care-(cpus)/</a>	Microsoft Form
Dumfries & Galloway	NHS Dumfries & Galloway, Primary Care Services, Ground Floor North, Mountainhall Treatment Centre, Bankend Rd, Dumfries, DG1 4TG <a href="mailto:Dg.pcd@nhs.scot">Dg.pcd@nhs.scot</a>	Please email or post
Fife	Complete MS Form available at: <a href="#">PGDs - NHS Fife - Confirmation of Signature</a>	Microsoft Form
Forth Valley	Complete MS Form – see local Health Board information for relevant link.	Microsoft Form
Grampian	Pharmaceutical Care Services Team Summerfield House, 2 Eday Road, Aberdeen, AB15 6RE <a href="mailto:gram.pharmaceuticalcareservices@nhs.scot">gram.pharmaceuticalcareservices@nhs.scot</a>	Please email or post
Greater Glasgow & Clyde	Complete MS Form available at <a href="#">PGDs - Greater Glasgow and Clyde</a>	Microsoft Form
Highland	Complete MS Form available at <a href="#">NHS Highland PGDs</a>	Microsoft Form
Lanarkshire	Complete MS Form available at <a href="#">NHS Lanarkshire - Patient Group Directions V2</a>	Microsoft Form
Lothian	No longer require pharmacists to return signed copies of PGDs. For any queries, please contact <a href="mailto:loth.communitypharmacycontract.nhs.scot">loth.communitypharmacycontract.nhs.scot</a>	
Orkney	Pharmacy Department, The Balfour Hospital, Foreland Road, Kirkwall, KW15 1NZ Phone: 01856 888 911 <a href="mailto:ork.pharmacyadmin@nhs.scot">ork.pharmacyadmin@nhs.scot</a>	Please email or post
Shetland	Pharmacy Primary Care Services, NHS Shetland, Gilbert Bain Hospital, Lerwick, Shetland, ZE1 0TB <a href="mailto:shet.pharmacyprimarycare@nhs.scot">shet.pharmacyprimarycare@nhs.scot</a>	Please email or post
Tayside	Diane Robertson Pharmacy Department, East Day Home, Kings Cross Hospital, Clepington Road, Dundee, DD3 8AE <a href="mailto:TAY.pharmacydepartment@nhs.scot">TAY.pharmacydepartment@nhs.scot</a>	Please email or post
Western Isles	Michelle Taylor, Primary Care, 37 South Beach, Stornoway HS1 2BB <a href="mailto:Michelle.taylor44@nhs.scot">Michelle.taylor44@nhs.scot</a>	Please email or post

# 8. Version history

Version	Date	Summary of changes
1.0	28/01/2026	New National Specimen PGD produced.

DRAFT

**Patient Group Direction for the treatment of adults and children presenting with symptoms of skin inflammation who are not eligible to access treatment via OTC sale or standard PFS Approved List**

**Patient assessment form**

<b>Patient Name &amp; address:</b>	Click or tap here to enter text	<b>Date of Birth /CHI:</b>	Click or tap here to enter text.
<b>(Include parent/guardian/carer details where appropriate)</b> Click or tap here to enter text.			
<b>Date of assessment:</b>	Click or tap to enter a date.	<b>Patient/parent/guardian/carer consents to GP being informed:</b>	Yes <input type="checkbox"/> No <input type="checkbox"/>

**Patient clinical picture and related appropriate actions**

	Yes	No	Actions
Is the patient eligible to access treatment for skin inflammation via OTC sale or standard PFS Approved List?	<input type="checkbox"/>	<input type="checkbox"/>	If YES, do not use PGD and continue with standard PFS consultation.
<b>Clinical features /symptom assessment</b>			
Is patient over ONE month of age?	<input type="checkbox"/>	<input type="checkbox"/>	If NO, REFER to GP/OOH if appropriate
Symptoms of skin inflammation present?	<input type="checkbox"/>	<input type="checkbox"/>	If NO, consider alternative diagnosis and proceed appropriately.
Eczema/dermatitis - Generalised dryness, itch and rash	<input type="checkbox"/>	<input type="checkbox"/>	Consider supply of hydrocortisone cream/ointment plus advice on use of emollients for longer term management of eczema/dermatitis
Insect bite reaction – localised pain, swelling and erythema, often itchy	<input type="checkbox"/>	<input type="checkbox"/>	Consider supply of hydrocortisone cream/ointment plus advice on action to take if secondary infection develops.  (Do not supply if there is a possibility that the insect bite may be infected.)

<p>Does the individual meet any PGD exclusion criteria?</p> <ul style="list-style-type: none"> <li>• Hypersensitivity to hydrocortisone or any of the excipients</li> <li>• Skin lesions caused by bacterial, fungal or viral skin infection e.g. cold sores, impetigo, chicken pox, acne, athlete's foot or ringworm</li> <li>• Individual has suffered any trauma to the area e.g. scratch, graze or bite (human or animal)</li> <li>• Infected eczema (signs include increased redness, swelling, warmth, oozing or pus, crusting, pain and sometimes fever or blisters)</li> <li>• Rosacea</li> <li>• Acne</li> <li>• Perioral dermatitis</li> <li>• Psoriasis</li> <li>• Suspected systemic infection relating to the presenting skin conditions</li> <li>• Unable to apply the product effectively themselves or do not have a parent/guardian/carer to apply the product for them.</li> <li>• No valid consent obtained.</li> </ul>	<input type="checkbox"/>	<input type="checkbox"/>	<p>If YES, REFER for appropriate care e.g. GP, OOH</p>
--	--------------------------	--------------------------	--

#### Preparation options and supply method

Medicine and strength	Regimen	Supply method
Hydrocortisone 1% cream x 15g or 30g	Apply sparingly to affected area ONCE or TWICE daily	PGD via UCF
Hydrocortisone 1% ointment x 15g or 30g	Apply sparingly to affected area ONCE or TWICE daily	PGD via UCF

#### Patient advice checklist

Advice	Provided (tick as appropriate)
Advise on mode of action, benefits of the medicine, possible side effects and their management.	<input type="checkbox"/>
Advise on how to apply appropriate quantity of cream or ointment to affected area	<input type="checkbox"/>
Wash hands before and after using the cream or ointment	<input type="checkbox"/>
Do not cover the area with a dressing or plaster	<input type="checkbox"/>
Avoid getting cream or ointment in the eyes	<input type="checkbox"/>
If condition worsens during first 7 days of treatment or symptoms persist for longer than 14 days, stop using and seek further medical advice	<input type="checkbox"/>
Advise on appropriate use of emollients if necessary – long term use can decrease need for future topical corticosteroids. When co-administering emollient, apply the corticosteroid first, ideally leaving 20 – 30 minutes before applying emollient.	<input type="checkbox"/>
Provide patient information leaflet	<input type="checkbox"/>

## Communication

Contact made with	Details (include time and method of communication)
Patient's regular General Practice (details)	Click or tap here to enter text.

## Details of medication supplied and pharmacist supplying under the PGD

Medication supplied	Click or tap here to enter text.
Batch number and expiry	Click or tap here to enter text.
Print name of pharmacist	Click or tap here to enter text.
Signature of pharmacist	Click or tap here to enter text.
GPhC registration number	Click or tap here to enter text.

DRAFT

**Patient Group Direction for the treatment of adults and children presenting with symptoms of skin inflammation who are not eligible to access treatment via OTC sale or standard PFS Approved List**

**Notification of assessment and supply from community pharmacy**

**CONFIDENTIAL WHEN COMPLETED**

Data protection confidentiality note: this message is intended only for the use of the individual or entity to whom it is addressed and may contain information that is privileged, confidential and exempt from disclosure under law. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited.

GP name	Click or tap here to enter text.	Pharmacy Stamp
GP practice address	Click or tap here to enter text. Click or tap here to enter text.	
The following patient has attended this pharmacy for assessment and potential treatment of skin inflammation:		
Patient name	Click or tap here to enter text.	
Date of birth/CHI	Click or tap here to enter text.	
Patient address	Click or tap here to enter text. Click or tap here to enter text.	
Postcode	Click or tap here to enter text.	
		Pharmacist name Click or tap here to enter text.
		GPhC number Click or tap here to enter text.
		Date Click or tap to enter a date.

**Following assessment (Tick as appropriate)**

Presenting symptoms/condition							
Allergic contact dermatitis	<input type="checkbox"/>	Mild eczema	<input type="checkbox"/>	Insect bite reaction	<input type="checkbox"/>	Other (please give details) Click or tap here to enter text.	<input type="checkbox"/>
Treatment							
Self-care advice only given							<input type="checkbox"/>
Your patient has been supplied with 1 x 15g /1 x 30g hydrocortisone 1% cream/ointment (delete as appropriate) (Apply sparingly to affected area ONCE or TWICE a day)							<input type="checkbox"/>
Your patient is unsuitable for treatment via PGD for the following reasons and has been referred: Click or tap here to enter text.							<input type="checkbox"/>

Your patient/their parent/guardian/carer has been advised to contact the practice if symptoms fail to resolve following treatment.

You may wish to include this information in your patient records.

<b>Patient consent:</b> I confirm the information provided is accurate. I give consent — or, where applicable, consent is given by the patient’s parent/guardian/carer — for a pharmacist under NHS Pharmacy First Scotland to provide appropriate advice or treatment, and for relevant details of this consultation to be shared with the patient’s GP. I understand that anonymised information may be used to assess service uptake.	Consent received <input type="checkbox"/>
--	--

This form should now be sent to the patient’s GP and a copy retained in the pharmacy.