Patient Group Direction for the treatment of adults and children presenting with symptoms of impetigo

Patient assessment form

Patient Name and address:	Click or tap here to enter text.	Date of Birth /CHI:	Click or tap here to enter text.
Date of	Click or tap to enter a date.	Patient consents to	Yes □ No □
assessment:		GP being informed:	

Patient clinical picture and related appropriate actions

Symptom assessment	Yes	No	Actions
Rash typical of impetigo? (Initially presents as vesicles with erythematous base which easily rupture with exudate drying to form a yellow/gold or yellow/brown crust which gradually thickens).			If NO, consider alternative diagnosis and proceed appropriately. If YES, may be suitable to receive Fusidic acid cream under PGD.
Clinical features	Yes	No	Actions
Has already tried Hydrogen Peroxide (Crystacide) 1% cream to treat lesions?			If NO, consider recommending this as first step of treatment. If YES, may be suitable to receive Fusidic acid under PGD.
Widespread skin infection?			If NO (minor/localised, uncomplicated area of infection only) may be suitable to receive Fusidic acid under PGD. If YES (widespread, extensive lesions), REFER to GP.
History of MRSA colonisation or infection?			If YES, REFER to GP.
Had impetigo treated with any form of antibiotics within the last 3 months?			If YES, REFER to GP.
Patient systemically unwell?			If YES, REFER to GP or OOH if appropriate.
Known allergy to any component of the cream?			If YES, REFER to GP.
Presenting with any underlying skin condition on the same area of the body as impetigo?			If YES, REFER to GP.

Preparation options and supply method

Medicine and strength	Regimen - Health Board specific	Supply method
Fusidic acid 2% cream (1 x 15 g)	Apply thinly to affected area THREE or FOUR times daily for 5 days	PGD via UCF

Patient advice checklist

Advice	Provided (tick as appropriate)
Wash hands before and after applying cream	
Where possible, remove scabs by bathing with warm water before applying the cream	
Impetigo is a very infectious condition. Important to prevent infection spreading by using own flannels and towels (hot wash after use)	
Do not scratch or pick spots	
Suggest applying creams THREE times daily on school days (before school, after school and evening) and FOUR times daily at other times	
Inform school of condition – advise that child should be excluded from school until the lesions are crusted and healed or 48 hours after commencing antibiotic treatment	
If infection spreads or there is no improvement after 5 days, seek medical advice from GP	
If patient becomes systemically unwell or infection is rapidly spreading to large areas of body during OOH period, seek medical advice from NHS 24.	
Do not share cream with anyone else	
Do not apply to breast if patient is breastfeeding	
Inform patient of possible side effects of medication and their management	
Provide patient information leaflet	

Communication

Contact made with	Details (include time and method of communication)
Patient's regular General Practice (details)	Click or tap here to enter text.

Details of medication supplied and pharmacist supplying under the PGD

Medication supplied	Click or tap here to enter text.
Batch number and expiry	Click or tap here to enter text.
Print name of pharmacist	Click or tap here to enter text.
Signature of pharmacist	Click or tap here to enter text.
GPhC registration number	Click or tap here to enter text.

Patient Group Direction for the treatment of adults and children presenting with symptoms of impetigo

Notification of assessment and supply from community pharmacy

CONFIDENTIAL WHEN COMPLETED

Data protection confidentiality note: this message is intended only for the use of the individual or entity to whom it is addressed and may contain information that is privileged, confidential and exempt from disclosure under law. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited.

GP name	Click or tap here to enter text.	
GP practice address	Click or tap here to enter text.	
	Click or tap here to enter text.	
The following patient has attended this pharmacy for		
assessment and potential treatment of impetigo:		
Patient name	Click or tap here to enter text.	
Date of birth/CHI	Click or tap here to enter text.	
Patient address	Click or tap here to enter text.	
	Click or tap here to enter text.	
Postcode	Click or tap here to enter text.	

Following assessment (Tick as appropriate)

Presenting symptoms	
Rash typical of impetigo (Initially presents as vesicles with erythematous base which easily rupture with exudate drying to form a yellow/gold or yellow/brown crust which gradually thickens – minor/localised lesions)	
Treatment	
Your patient has been supplied with 1 x 15 g Fusidic acid cream. (Apply thinly to affected area THREE or FOUR times daily for 5 days)	
Your patient is unsuitable for treatment via PGD for the following reasons and has been referred: Click or tap here to enter text.	

Your patient has been advised to contact the practice if symptoms fail to resolve following treatment.

You may wish to include this information in your patient records.

Patient consent: I can confirm that the information is a true reflection of my individual circumstances,	Consent
and I give my consent to allow a pharmacist working under the terms of NHS Pharmacy First Scotland	received
to provide the most appropriate advice and/or treatment for me. I also give my permission to allow	10001100
the pharmacist to pass, to my own GP, details of this consultation and any advice given, or treatment	
provided. I have been advised that some of the information may be used to assess the uptake of the	
service, but this will be totally anonymous and not be attributable to any individual patient.	

This form should now be sent to the patient's GP and a copy retained in the pharmacy.